

METHOD FOR MODIFYING AND PUBLISHING A WEB PAGE

BACKGROUND OF THE INVENTION

1. Field of the Invention

5 The invention relates generally to a method
for modifying and publishing a web page. More
specifically, the invention relates to a method for
adding, changing and deleting the content of a web
page and publishing that content to all web pages in
10 which the content is found.

2. Description of the Related Art

 The Internet has provided a means to obtain
all types of data quickly from any location having a
computer and access to the Internet. The data can be
15 observed, copied and downloaded for later use. The
data may be incorporated into reports, documentation,
products, and the like.

 For much of the life of the commercial-
20 based use of the Internet, the client-side user was
receiving information for use by the client side. All
database content, whether structural in terms of web
page layout, or content, was provided server-side. As
the usage requirements of the Internet became more
25 sophisticated, so did the data entry dynamic. More
and more users of Internet data require databases to

be able to provide the latest information input therein from either the server side or the client side.

Today, client-side users of databases may add, modify and delete data in the server-side databases. A significant problem with this ability is the integrity of the databases themselves and the integrity of the web pages that were originally generated from the databases. More specifically, data displayed through a web page is oftentimes displayed in multiple web pages. If a user, client-side or server-side, changes the data on one web page, systems must be in place to ensure that any change is updated in every location that the data was stored.

The ability for users to add, modify or delete data, regardless of being client-side or server-side, in an easy, intuitive and complete manner while providing integrity to the complete database system is not currently available. The only currently available solution for this need are expensive systems requiring an extensive understanding of software programming.

SUMMARY OF THE INVENTION

A method for publishing changed data on a web page includes receiving the changed data. The

method then identifies a profile for the data in the database. The profile for the changed data identifies the relationship between the data in the database and the web pages that present the data. The method forwards the changed data and the profile for the changed data to a publishing engine, allowing the publishing engine the ability to publish every web page that uses the changed data with the changed data, based on the profile for the changed data.

BRIEF DESCRIPTION OF THE DRAWINGS

Advantages of the invention will be readily appreciated as the same becomes better understood by reference to the following detailed description when considered in connection with the accompanying drawings, wherein:

Figure 1 is a block diagram of a communications network incorporating one embodiment of the invention;

Figure 2 is an example of one web page published via one embodiment of the invention;

Figure 3 is a second example of a second web page published via one embodiment of the invention;

Figure 4 is a third example of a third web page published via one embodiment of the invention;

Figure 5 is a logic chart of one method incorporating one embodiment of the invention;

Figure 6 is a data flow chart for changing content data using one embodiment of the invention;
and

Figure 7 is a data flow chart for changing template data using one embodiment of the invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT(S)

Referring to Figure 1, a typical communications network is generally shown at 10. The communications network 13 includes two client side computers 12, 14 that are connected to a server side computer 16 through the Internet 18. The server side computer 16 is electrically connected to a database 20. Figure 1 is shown in a simple environment to illustrate the invention, discussed subsequently. It should be appreciated by those skilled in the art that any number of elements and levels of elements may be incorporated into the communications network 10 without adding an inventive step to the invention. By way of example, the communications network 10 may include a plurality of server side computers 16 as well as a plurality of databases 20. Further, the communications network 10 may exist without one of the elements, e.g., the Internet 18.

Referring to Figures 2 through 4, three web pages 22, 24, 25 that are published using the inventive method are respectively shown. Figure 2 illustrates a portion of a web page that details a product being offered for sale by an entity. In the example shown, the product is a chainsaw. The web page 22 includes the name 28, a price 30 and product detail 32. These entries define fields or template data. Template data will be discussed in greater detail subsequently. The product detail 32 may include text and graphics as is desired by the entity owning the web page 22.

Continuing with the example shown in Figure 2, Figure 3 shows a web page 24 published by the same entity. This web page 24 contains content data differing from that which was presented in first web page 22. The content data 20 is, however, related. More specifically, the product name 28 and price 30 are the same as that of the first web page 22. The description is a product summary 34. The product summary 34 is shorter, allowing more products to be displayed on the web page 24.

The third web page 26, shown in Figure 4, illustrates yet a third web page format, i.e., the printable invoice page. This web page 26 identifies names 28, prices 30 and quantities 36 being sold.

and the modified price will be displayed in the remaining two web pages 24, 26 of Figures 3 and 4. By using the inventive method 40, the modified data only has to be entered once and all of the web pages 22, 24, 26 will be modified to publish or display the updated content data automatically.

Once the form and/or content data has been received, it is determined at 44 whether any of the data has been changed. If not, the method 40 is not needed to update the data. Therefore, the data is published on the web pages 22, 24, 26 at 46 and, at this point, the method 40 is terminated until invoked at a later time.

If data has been changed in some manner, it is determined whether the changed data is content data or template data at 48. If the changed data is content data, the profile associated with the changed content data is retrieved at 50. It is then determined which of the templates is affected by the changed content data. This step is performed at step 52. The affected template or templates are then retrieved from the database 20 at 54.

If, however, the changed data is template data, the step following its identification, decision diamond 48, is to compile and profile the changed template data at 55. Once generated, the profile is

stored in the database 20 at 56.

The web page or web pages are then published from the template at 57. Publishing occurs by sending the changed data to a publishing engine 62 (see Figures 6 and 7). The content and template data are then published at 46 as static web sites 22, 24, 26 to be viewed by those accessing the data through the communications network 10.

Once published, it is then determined whether dependent template data exist at 59. If so, the dependent template data is accessed from the database 20 at 61. The dependent template data is then compiled and profiled at 55, as was the first changed template data. The storage of the profiles, content and template data occurs in multiple tables 58, 60 found in the database 20. The tables 58, 60 graphically represent the different types of data stored within the database 20. This recursive step of determining whether dependent web sites exist, query 59, ensures the changed data and profiles are updated everywhere. As such, the web site and the resulting pages 22, 24, 26 will always accurately represent the data in the databases 20.

Once all dependent template data has been compiled, profiled and published, the web sites 22, 24, 26 are published in their final locations at 46.

Referring to Figure 6, a chart of data flow for changes in content data is generally indicated at 68. The content data is changed by a content editor at 70 using the client-side computer 12, 14. The changed content data is received by the server-side computer 16 through some transmission means graphically depicted with a dashed line 72.

Once received by the server-side computer 16, the changed content data is read by data reader 74. The data reader 70 identifies the content that has changed. The data reader 70 forwards the changed content data to the database 20 for storage. The data reader 74 also notifies the publishing engine 62 that content data has been changed.

The publishing engine 62 receives the profiles associated with all of the changed content data. The profiles are stored in the database 20.

Once the profiles are retrieved, the publishing engine 62 is then capable of determining which of the templates the changed data is to be inserted. The templates identify the web pages 22, 24, 25 that need to be updated because they include the templates therein. The publishing engine 62 then republishes the web pages 22,24,25 with the changed content data.

Referring to Figure 7, wherein like primed

numerals represent similar elements found in Figure 6, a chart of data flow for changes in template data is generally indicated at 76. In this scenario, a web developer makes changes in one or more templates at 78. Changes in template data change what types of data are presented on a particular web page 22,24, 26. By way of example, the product summary page depicted in Figure 3 may be modified to identify whether a particular product is in stock. The template is changed to send that type of information to the web pages identified by the profile associated with the changed template data.

Once the template data has been changed, the data reader 74' identifies the changes in the template data. The publishing engine 62' is notified and, at the same time, the changes in template data are stored in the database 20'. The publishing engine 62' then generates or modifies the profile associated with the changed template data. The profile is sent to and stored within the database 20'. Subsequently, the web pages 22, 24, 26 are the changed template data.

The invention has been described in an illustrative manner. It is to be understood that the terminology which has been used is intended to be in the nature of words of description rather than of

limitation.

Many modifications and variations of the invention are possible in light of the above teachings. Therefore, within the scope of the
5 appended claims, the invention may be practiced other than as specifically described.

WE CLAIM:

1. A method for publishing changed data on
a web page, the method comprising the steps of:
receiving the changed data;
identifying a profile for the data;
forwarding the changed data and the profile
for the changed data to a publishing engine;
identifying the changed data to be
published on the web page based on the profile for
the data; and
publishing the changed data on the web page

**UNITED STATES PATENT AND TRADEMARK OFFICE
DOCUMENT CLASSIFICATION BARCODE SHEET**



Claims

5